

Central Intelligence Agency
National Foreign Assessment Center
Office of Imagery Analysis

WORKING PAPER

Technical Staff
Significant Substantive Items Week of 11-15 December 1978

1. We received parallel listings from the IDF and NDS for comparison prior to a final update and reload of all OIA data to the NDS. Five additional NDS terminals were brought on-line in LFD with the connection of their multi-term controller. [redacted]

25X1

2. A new joint EXSUBCOM - ICRS Requirement Working Group (REQWG) has been formed, combining two established working groups from the two COMIREX Subcommittees. This formation will better coordinate the collection and exploitation requirements to prevent cases where the frequency of collection is less than the requested exploitation frequency. One of their first tasks is to review all standing Problem Sets for targets contained, frequency and parameters of collection, and frequency of exploitation. Although the greatest exploitation impact will be upon NPIC's IEG and PEG, we have been asked to participate in review of target validation and collection strategies. [redacted]

25X1

3. Three new hydrostatic fluid lines were replaced on the McBain Comparator early in the week. This replacement and previous evaporation of the hydrostatic fluid has resulted in the fluid level being about one pint low. NPIC will purchase the replacement fluid for us. [redacted]

25X1

25X1

[redacted]
Chief, Technical Staff
Office of Imagery Analysis

25X1

STAT

Approved For Release 2004/01/21 : CIA-RDP84T00316R000100240014-7

Approved For Release 2004/01/21 : CIA-RDP84T00316R000100240014-7